

Optical Flap Turnstile



Model No. FTL 3000

Super- elegant and European stylish turnstiles

Mainly material is full brushed stainless steel and black painting for decoration. For the body, it's arc shape cabinet, no any angle, which make it safer to prevent people from injury.

It's with unique bright, long and slim LED indication bar at front. On top side also place a LED indicator to show entry denied or accepted.

Material: 304 stainless steel

+ Acrylic glass

Size: 1400 * 280 * 1000mm

Net weight: 70kg/pcs

Pass rate: 40 - 45 person/min

Pass width: 580mm

LED Indicator: Yes

Optical Flap Turnstile



Model No. FTL312X

- Optical flap turnstile DS312X is a simple, elegant, practical optical flap turnstile, it incorporates fast speed and good looking, and can compatible with all access control systems.
- Underneath its sleek and stylish stainless steel exterior, the DS312X boasts the latest in optical anti- intrusion and anti-reverse technology.

Material: 304 stainless steel + Acrylic glass

Size: 1200 * 300 * 1000mm

Net weight: 80kg/pcs

Pass rate: 40 - 45 person/min

Pass width: 550mm (One passage)

Optical Flap Turnstile



The advantage of flap turnstile is the fastest open and close speed, it's perfect for the sites with big visitors flow rate, such as commercial building, bus station, subway etc.

Model No. FTL 311



Material: 304 stainless steel
Size: 1400 * 300 * 1000mm
Net weight: 80kg/pcs
Pass rate: 40 - 45 person/min
Pass width: 550mm



Suitable for both indoor and outdoor environments

Model No. FTL 315



Material: 304 stainless steel
Size: 1400 * 300 * 1000mm
Net weight: 70kg/pcs
Pass rate: 40 - 45 person/min
Pass width: 550-900mm



Suitable for both indoor and outdoor environments

Optical Flap Turnstile



The advantage of flap turnstile is the fastest open and close speed, it's perfect for the sites with big visitors flow rate, such as commercial building, bus station, subway etc.

Model No. DS301



Material: 304 stainless steel
Size: 1200 * 280 * 1000mm
Net weight: 60kg/pcs
Pass rate: 40 - 45 person/min
Pass width: 550mm



Suitable for both indoor and outdoor environments

Model No. DS302



Material: 304 stainless steel
+ Plexiglas Arm
Size: 1200 * 300 * 1000mm
Net weight: 65kg/pcs
Pass rate: 40 - 45 person/min
Pass width: 550mm



Suitable for both indoor and outdoor environments